



安徽威尔环保设备有限公司

Anhui Well Environmental Protection Technology Co., Ltd

Tel: +86 189 1227 0723

Email: sales@wellrecycling.com

Web: www.wellepa.com www.waliepe.com

地址：安徽省芜湖市鸠江经济开发区纬四路23号

Add: No. 23 Weisi Road, Jiujiang District, Wuhu, Anhui




塑料粉碎机 产品目录

PLASTIC CRUSHER PRODUCTS CATALOG

 **WELL-Atech**

WECG 15/21 series

中速机边粉碎机 / MEDIUM-SPEED GRANULATORS



規格技術參數 | SPECIFICATION

型号 / Model	WECG 1518	WECG 1524	WECG 1542	WECG 2128	WECG 2142
电机功率/Motor(kw)	1.1	1.5	2.2	2.2	3.0
主轴转速/ Rotor speed (rpm)	375	375	375	320	320
转动刀/Rotary cutter(pcs)	9	12	18	3	3
固定刀/Fixed cutter (pcs)	2	2	4	2	2
筛网孔径/Diameter of screen mesh (mm)	φ 6	φ 6	φ 6	φ 6	φ 6
进料口尺寸/Size of feed inlet (mm)	160 × 180	160 × 240	150 × 420	210 × 280	210 × 420
最大粉碎能力/Maximum throughput capacity (kg/h)	35	45	80	80	130
粉碎时噪音Sound pressure level, DB(A)	70 ~ 85	70 ~ 85	70 ~ 85	70 ~ 85	70 ~ 85
30秒立即回收系统 /30-sec instant recycling system	●	●	●	●	●
标准接料箱/Standard feed box	○	○	○	○	○
进料口加磁铁/Magnet installed to the feed inlet	○	○	○	○	○
压缩空气送料装置/ Compressed air conveyor	○	○	○	○	○
比例阀送料装置/ Proportion valve conveyor	○	○	○	○	○
人工接料箱 /Manual storage tank	○	○	○	○	○
重量 /Weight (kg)	125	140	180	230	320

1) "●"为标配件, "○"为选购件。
2) 最大粉碎量取决于筛网孔径和粉碎材料等因素。
3) 粉碎时噪音因粉碎材料不同而异。

WECG 15/21 series


中速机边粉碎机 / MEDIUM-SPEED GRANULATORS

外型尺寸/Size					
型号/Model	WECG 1518	WECG 1524	WECG 1542	WECG 2128	WECG 2142
A	1176	1176	1280	1350	1350
B	810	825	660	950	950
C	350	350	335	450	450
D	280	340	700	390	590
E	495	535	710	580	680
F	160 × 180	160 × 240	150 × 420	210 × 280	210 × 420

1) "●" refers to standard products, while "○" means ones that need to be purchased.
2) The maximum crushing capacity depends on factors such as the diameter of the screen mesh and the material being crushed
3) Noise will differ from one to another based on the different materials used for crushing.

WECG Q series

静音集中粉碎机 / SOUND-PROOF CENTRALIZED GRANULATORS



規格技術參數 | SPECIFICATION

型号 / Model	WECG 2230Q	WECG 2540Q	WECG 2650Q	WECG 3060Q	WECG 3560Q	WECG 3670Q	WECG 4080Q
电机功率/Standard motor (kw)	5.5	7.5	11	15	22	22	30
可选电机功率/Optional motor (kw)	7.5	11	7.5/15	11/18.5	11/15/18.5/32	18.5/30	22/37
主轴转速/Rotor speed (rpm)	600	500	500	480	525	480	480
刀具材质/Knives material	9CrSi						
交错动刀数量/Rotation knives (pcs)	9	12	15	18	3	21	24
定刀数量/Fixed knives(pcs)	2	4	4	4	2	4	6
旋转直径 (mm)	230	250	260	300	350	360	400
标准筛网孔径/Screen hole diam(mm)	8	8	8	8	8	8	8
可选筛网孔径/Optional screen hole size	4,6,10,12,14,18,25						
硬化筛网/Hardened screen	○	○	○	○	●	○	○
手动料仓/Manual bin	●	●	●	●	○	●	●
送料风机/Blower	○	○	○	○	○	○	○
粉尘分离/Dust separator	○	○	○	○	○	○	○
隔音罩/Enclosed cover	○	○	○	○	○	○	○
粉碎能力/Throughput capacity (kg/hr)	≤200	≤300	≤450	≤550	≤650	≤650	≤900
粉碎噪音/Sound pressure level,dB (A)	75-95						
重量/Weight (kg)	400	550	700	1000	1400	1600	1750

1) "●"为标配件, "○"为选购件。
2) 最大粉碎量取决于筛网孔径和粉碎材料等因素。
3) 粉碎时噪音因粉碎材料不同而异。

WECG Q series

静音集中粉碎机 / SOUND-PROOF CENTRALIZED GRANULATORS

外型尺寸/Size							
型号 / Model	WECG 2230Q	WECG 2540Q	WECG 2650Q	WECG 3060Q	WECG 3560Q	WECG 3670Q	WECG 4080Q
A	1470	1707	1920	1520	1830	1700	1810
B	750	810	1000	1320	1220	1460	1500
C	1280	1400	1550	1020	1820	1200	1280
D	300	400	500	600	600	700	800
E	220	250	260	300	360	360	400
F	400	400	400	425	500	500	500

1) "●" refers to standard products, while "○" means ones that need to be purchased.
2) The maximum crushing capacity depends on factors such as the diameter of the screen mesh and the material being crushed
3) Noise will differ from one to another based on the different materials used for crushing.

WECQ series

强力粉碎机

POWERFUL GRANULATORS



型号 / Model	WECQ 300	WECQ 400	WECQ 500	WECQ 600	WECQ 700	WECQ 800	WECQ1000
电机功率/Power	(kw)	5 . 5	7 . 5	11	15	22	30
	(HP)	7	10	15	20	30	40
主轴转速/Rotating speed(r/min)	610	580	600	506	493	440	440
主轴直径/Rotating DiaΦ(mm)	72	72	78	82	110	110	110
动刀数(把)/Moving blades(pcs)	9	12	15	18	21	24	6
定刀数(把)/Fixed blades (pcs)	2	2	2	4	4	4	4
工作效率/Granulating ability (kg/h)	150-200	250-400	300-500	500-600	600-700	700-800	900-1000
进料口尺寸/Feeding inlet EXF(mm)	300 × 200	400 × 250	500 × 285	600 × 315	685 × 430	800 × 450	1000 × 500
机 重/Net weight (kg)	300	430	550	800	1325	1800	2000
筛网孔直径/Screen netΦ (mm)	Φ8	Φ10	Φ10	Φ12	Φ12	Φ12	Φ14
外形尺寸/Machine size A × B × C(m)	1.07×0.72×1.08	1.29×0.86×1.18	1.37×1.0×1.39	1.54×1.15×1.66	1.75×1.25×1.96	1.95×1.37×2.18	2 . 25×1.60×2.40

WECP series

强力粉碎机

POWERFUL GRANULATORS



型号 / Model	WECP 250	WECP 400	WECP 500	WECP 500×400	WECP 600×500	WECP 700×600
电机功率/Power	(kw)	4	5.5	7.5	15	18 . 5
	(HP)	5	7.5	10	20	25
主轴转速/Rotating speed(r/min)	550	500	500	495	496	440
主轴直径/Rotating DiaΦ(mm)	50	60	60	80	100	120
动刀数(把)/Moving blades(pcs)	3	3	3	6	6	6
定刀数(把)/Fixed blades (pcs)	2	2	2	4	4	4
工作效率/Granulating ability (kg/h)	150	300	400	600	800	1000
进料口尺寸/Feeding inlet(mm)	300 × 210	510 × 260	610 × 260	480 × 400	580 × 500	600 × 680
机 重/Net weight (kg)	180	380	430	970	1440	2450
筛网孔直径/Screen netΦ (mm)	Φ8	Φ10	Φ10	Φ12	Φ14	Φ14
外形尺寸/Machine size A × B × C(m)	0 . 93 × 0 . 62 × 1 . 2	1 . 1 × 0 . 78 × 1 . 38	1 . 13 × 0 . 9 × 1 . 38	1 . 39 × 0 . 995 × 1 . 965	1.567 × 1.135 × 2 . 26	1 . 4 × 2 . 0 × 2 . 9

WECF series

薄膜粉碎机

FILM CRUSHER



型号 / Model	WECF 400×280	WECF 600×350	WECF 700×400
电机功率/Power	(kw)	11	22
	(HP)	15	30
吸料机功率/Power (kw)	0 . 55	0 . 75	1 . 5
主轴转速/Rotating speed(r/min)	550	495	400
主轴直径/Rotating DiaΦ(mm)	75	100	100
动刀数(把)/Moving blades(pcs)	6	6	6
定刀数(把)/Fixed blades (pcs)	4	4	4
工作效率/Granulating ability (kg/h)	400 – 500	500 – 700	700 – 800
进料口尺寸/Feeding inlet(mm)	400 × 330	620 × 510	700 × 480
转机 (旋风分离) /Rotating machine(Φmm)	650	800	900
外形尺寸/Machine size A × B × C(m)	1.20×1.25×1.45	1.45×1.3×1.71	1.72×1.26×2.3